


<p>ISO Methode E</p>		Bemerkungen/Comments: Allgemeintoleranzen/General tolerances DIN 28005-1		Vorlage-Zeichnung-Nr.:	
	Datum/Date	Name	Projekt-Nr.:	Artikel-Nr.:	Maßstab/Scale
Bearb.	30.08.2024	depo		813393	
Gepr.			Kunde/Customer:		Werkstoff/Material
Norm.					
Medium			Kommission:		Gewicht/Weight
<p>69181 Leimen Gutenbergstraße 5-7 Tel 06224/97020</p>			Behälterbezeichnung/Vessel designation		Behälter/Vessel-Nr.:
			Grauwasseranlage/Greywater System DEHOUST GWtec® 640_US		
			Zeichnungs/dwg-Nr.:	Auftrags/Order-Nr.:	Größe/Size: Blatt-Nr.: A3 1
			631552		Blattzahl: 3



(A)
 Type: DEHOUST GWtec® 640
 Item: 813393
 Max. treatment capacity: 15.000 litres/day
 PVC flex hose:filtrate effluent 1" female thread, black, length 5m
 weight: 260 kg

Greywater filtration tank: 2x PE HD 4.000 DF incl. aeration unit
 overflow port: DN 100
 drain valve:1 1/2" female thread
 PVC flex hose:suction line 1" PVC flex hose blue, length 3 m
 Empty weight: 120 kg

(B)
 Type: coarse filter DEHOUST MAX II
 Item: 812657
 inlet/overflow/outlet: DN150
 Connection backwash: 1" female; pmin: 1 bar; pmax: 2 bar
 empty weight:15 kg

(C)
 Type: greywater collection tank 4.000 litres
 Item: 962059
 inflow/overflow:DN 150
 Drain valve:1 1/2" female thread
 Empty weight: 235 kg

(D)
 Type:Extension tank 4.000 L for a GW collection tank
 or BW storage tank
 item:962039
 empty weight:235 kg

(E)
 Type:Aeration unit for further PE HD greywater
 collection tank
 item:813440
 PVC flex hose:3/4" female thread,red length 5m

(F)
 Type: extension package aeration unit
 Item: 813442
 PVC flex hose:3/4" female thread,red length 5m

(G)
 Type: greywater batch pump DOC 7
 Item: 813444
 PVC flex hose:1" female thread, black, length 5m

(H)
 Type: process water storage tank 4.000 liters
 Item: 962058
 overflow:DN 100
 Connection mains water back up: 1" female ; pmin: 1 bar; pmax: 10 bar
 Emergency overflow DIN EN 1717:LxW 2 x 200 x 125 mm
 Drain valve:1 1/2" female thread
 Empty weight: 235 kg

Overall technical specification
 Total weight:1.400 kg
 electrical load:400 V / 16 A / 50 Hz / 3,35 kW

Backside

Pipes not included in delivery:

In- and overflow pipe DN 150
 Pressure line backwash pump DN 32 (1 1/4") from tank H to DEHOUST GWtec® A
 Pressure line booster pump DN 25 (1") from DEHOUST GWtec® to coarse filter DEHOUST II B



Installation of air compressor have to be above the max. water level
 inside the greywater tank.

Dimensions in mm; distance to wall min. 300 mm.
 *Height depends on the installation material

Technical change reserved. This installation example is subject to change.
 All transactions are subject to our general terms and conditions.

all dimensions in inch

		Bemerkungen/Comments: Allgemeintoleranzen/General tolerances DIN 28005-1		Vorlage-Zeichnung-Nr.:									
<table border="1"> <tr> <th>Datum/Date</th> <th>Name</th> </tr> <tr> <td>Bearb. 30.08.2024</td> <td>depo</td> </tr> <tr> <td>Gepr.</td> <td></td> </tr> <tr> <td>Norm.</td> <td></td> </tr> </table>		Datum/Date	Name	Bearb. 30.08.2024	depo	Gepr.		Norm.		Projekt-Nr.:		Artikel-Nr.: 813393	
Datum/Date	Name												
Bearb. 30.08.2024	depo												
Gepr.													
Norm.													
		Kunde/Customer:		Werkstoff/Material									
Medium		Kommission:		Gewicht/Weight									
		Behälterbezeichnung/Vessel designation Grauwasseranlage/Greywater System DEHOUST GWtec® 640_US		Behälter/Vessel-Nr.:									
		Zeichnungs/dwg-Nr.: 631552		Auftrags/Order-Nr.:									
69181 Leimen Gutenbergstraße 5-7 Tel 06224/97020				Größe/Size: A2 Blatt-Nr.: 2 Blattzahl: 3									



all dimensions in inch

<p>ISO Methode E</p>		Bemerkungen/Comments: Allgemeintoleranzen/General tolerances DIN 28005-1		Vorlage-Zeichnung-Nr.:	
Datum/Date	Name	Projekt-Nr.:	Artikel-Nr.:	Maßstab/Scale	
Bearb. 30.08.2024	depo		813393		
Gepr.		Kunde/Customer:		Werkstoff/Material	
Norm.					
Medium		Kommission:		Gewicht/Weight	
<p>69181 Leimen Gutenbergstraße 5-7 Tel 06224/97020</p>		Behälterbezeichnung/Vessel designation		Behälter/Vessel-Nr.:	
		Grauwasseranlage/Greywater System			
		DEHOUST GWtec® 640_US			
Zeichnungs/dwg-Nr.:		Auftrags/Order-Nr.:	Größe/Size:	Blatt-Nr.:	Blattzahl:
631552			A3	3	3